

SOUDAL
NV SA
Everdengenlaan 18-20
B-2300 TURNHOUT-BELGIUM

Your Ref. : order of September 11, 2002

Laboratory number : 5488-2

TEST REPORT N° 10227 dated October 31, 2002

English translation on March 7, 2003

1. OBJECT

Extraction test in distilled water and n-hexane following FDA specifications.

2. REFERENCE DOCUMENTS

Code CFR 21 - § 177.2600 (e) and (f).

3. SAMPLE DESCRIPTION

Sample receptionned at Laboratory on September 13, 2002.

- Mastic cartridge
- Reference : SILIRUB MA
- Color : white

*The reproduction of this document is allowed only as a whole : 2 pages.
The mentionned results apply only for the samples submitted to IANESCO CHIMIE.*

INSTITUT D'ANALYSES ET D'ESSAIS EN CHIMIE DE L'OUEST

- 3 rue Raoul Follereau - BP 90974 - 86038 POITIERS Cedex -

Tél. : 05 49 44 76 14 - 05 49 44 76 12 - LABO : 05 49 44 76 04 - Fax : 05 49 44 76 22

- association loi 1901 - Siret N° 775 716 061 00038 - APE 743 B -

4. TEST CONDITIONS AND RESULTS

- Coat of mastic on glass sheets
- Thickness of applied material : ≈ 1 mm
- Drying before testing : 28 days at room temperature

1°) Extraction in distilled water :

	Extractibles substances in mg/inch ² (individual values rounded to the nearest 0,1 mg/inch ²)	Extractibles substances in mg/inch ² (individual values rounded to the nearest 0,1 mg/inch ²)
First 7 hours extraction at reflux temperature	2,1 2,0 2,0	2,0
Succeeding 2 hours extraction at reflux temperature	0,9 0,9 0,9	0,9

2°) Extraction in n-hexane :

	Extractibles substances in mg/inch ² (individual values rounded to the nearest 0,1 mg/inch ²)	Extractibles substances in mg/inch ² (individual values rounded to the nearest 0,1 mg/inch ²)
First 7 hours extraction at reflux temperature	17,8 17,9 18,1	17,9
Succeeding 2 hours extraction at reflux temperature	2,0 2,0 2,0	2,0

Recall of the limits authorized :

Distilled water : First 7 hours extraction : 20 mg/inch²
Succeeding 2 hours : 1 mg/inch²

n-hexane : First 7 hours extraction : 175 mg/inch²
Succeeding 2 hours : 4 mg/inch²

5. CONCLUSION

In test conditions :

- the amounts of extractives in distilled water are in compliance with specifications of paragraph 177.2600 (e) of code CFR 21.
- the amounts of extractives in n-hexane are in compliance with specifications of paragraph 177.2600 (f) of code CFR 21.

Maryse FAVARD
Department Packaging
and Materials

Régis BRUNET

Director